



Fused Alumina Abrasives Micro Grits Size

FEPA SIZE	Average grain size (μm)		
	ds3 (μm) max	ds50 (μm)	ds94 (μm) min
F 230	77	55.7 ± 3.0	38
F 240	68	47.5 ± 2.0	32
F 280	60	39.9 ± 1.5	25
F 320	52	32.8 ± 1.5	19
F 360	46	26.7 ± 1.5	14
F 400	39	21.4 ± 1.0	10
F 500	34	17.1 ± 1.0	7
F 600	30	13.7 ± 1.0	4.6
F 800	26	11.0 ± 1.0	3.5
F 1000	23	9.1 ± 0.8	2.4
F 1200	20	7.6 ± 0.5	2.4

±